U.S. Patent Application No.: 10/685,685

Filing Date: October 15, 2003

First Named Inventor: Anthony Costa

Amendments to the Claims

This listing of claims will replace prior versions and listings of claims in the application:

The claims have been amended as follows: Underlines indicate insertions and strikethroughs indicate deletions.

Listing of Claims:

1. (currently amended) A gel matrix for topical use on a subject having an epithelial surface to be immersed in water, said epithelial surface comprising mucus, mucosa or skin surface, the gel matrix comprising :

about 15% w/w polyethylene glycol-150/decyl alcohol/saturated dicyclohexyl-methane diisocyanate copolymer, which confers to said matrix the characteristics of being insoluble but dispersible in water, and capable of adhering to said epithelial surface,

about 3637 to about 45% w/w ethoxydiglycol,

1-6% w/w polysorbate surfactant,

a liquid carrier which is bio-compatible with said epithelial surface,

the gel matrix having a viscosity, before application, of about 35-55 centipoises.

- 2. 4. (cancelled)
- 5. (original) The gel matrix of claim 1, which further comprises a medication.
- 6. (original) The gel matrix of claim 5, wherein said medication is active towards a causative agent or a symptom affecting said surface.
- 7. (original) The gel matrix of claim 6, wherein said medication is one or more anti-ulcer, anti-microbial, anti-histaminic, anti-inflammatory, soothing, wound healing, anti-oxidant, sun screen, anti-UVs, anti-cancer, anesthetic and analgesic agents.

U.S. Patent Application No.: 10/685,685

Filing Date: October 15, 2003

First Named Inventor: Anthony Costa

- 8. (original) The gel matrix of claim 5, wherein said medication is an organic oil.
 - 9. (original) The gel matrix of claim 8, wherein said oil is a plant extract.
- 10. (original) The gel matrix of claim 9, wherein said plant oil extract has anti-infectious properties.
 - 11 (cancelled)
- 12. (previously presented) The gel matrix of claim 10, wherein said plant oil is pine, clove, coriander or Sweet Birch oil.
- 13. (original) The gel matrix of claim 12, wherein said oil is present in a final concentration of 1-5 % (w/w).
- 14. (original) The gel matrix of claim 8, which further comprises an antioxidant.
- 15. (previously presented) The gel matrix of claim 1, which comprises 15 % (w/w) polyethylene glycol-150/decyl alcohol/saturated dicyclohexyl-methane diisocyanate copolymer.
 - 16. (cancelled)
- 17. (currently amended) The gel matrix of claim 15, which has the following composition by weight: polyethylene glycol-150/decyl alcohol/saturated dicyclohexylmethane diisocyanate copolymer 15 %, ethoxydiglycol 3637-45 %, oil 1-5 % and polysorbate 20 1-6 %, demineralised water 41.17 %, propyl gallate 0.1 %, sodium metabisulfite 0.25 %, sodium carbonate 0.05 %, dye yellow 5 LK (14-16 %) 0.50 %.
- 18. (withdrawn) A method of using a gel matrix according to claim 1, said method comprising topically applying said gel matrix on the epithelial surface of the subject.
- 19. (withdrawn) A method according to claim 18, wherein the subject is a fish.

U.S. Patent Application No.: 10/685,685

Filing Date: October 15, 2003

First Named Inventor: Anthony Costa

20. (withdrawn) A method according to claim 18, wherein the gel matrix comprises [[about]] 15% (w/w) polyethylene glycol-150/decyl alcohol/saturated dicyclohexyl-methane diisocyanate copolymer.

- 21. (withdrawn) A method according to claim 18, wherein said gel further comprises a medication.
- 22. (withdrawn) A method according to claim 21, wherein said medication is one or more anti-ulcer, anti-microbial, anti-histaminic, anti-inflammatory, soothing, wound healing, anti-oxidant, sun screen, anti-UVs, anti-cancer, anesthetic and analgesic agents.
- 23. (withdrawn) A method according to claim 21, wherein said medication is an organic oil extracted from a plant.
- 24. (withdrawn) A method according to claim 23, wherein said organic plant oil extract is pine, clove, coriander or Sweet Birch oil.
- 25. (new) The gel matrix of claim 1, which comprises 37.4% 45% w/w ethoxydiglycol.